



750 OLD HICKORY BLVD.
SUITE 140
Brentwood, TN 37027
PHONE
615-762-3320
FAX
615-309-8665
EMAIL
rick@drsdesign.solutions
www.drsdesign.solutions

THIS SET OF DOCUMENTS AND THE DESIGN SHOWN HEREIN ARE THE PROPERTY OF DRS FOODSERVICE DESIGN INC. REPRODUCTION VIOLATION OR ANY OTHER UNAUTHORIZED USE OF THESE DOCUMENTS WITHOUT THE WRITTEN CONSENT OF DRS FOODSERVICE DESIGN INC. WILL BE SUBJECT TO LEGAL ACTION.

EXALT HEALTH PANAMA CITY
PANAMA CITY BEACH, FL

PROJECT NAME:

DRAWN BY: RS
CHECKED BY: RP
REVISION NO. DATE:

PROJ. NO.: 25075
DATE: 02/12/2026

MECHANICAL SCHEDULE

TITLE:
FS-1.5

SHEET:
SCALE: 1/4"

NOTE:
THE PLANS AND DOCUMENTS PROVIDED BY DRS FOODSERVICE DESIGN, INC. ARE NOT TO BE USED AS CONSTRUCTION DOCUMENTS.
THESE DOCUMENTS ARE PROVIDED TO THE ARCHITECTURAL AND ENGINEERING DESIGN TEAM, AS AN INFORMATIONAL AID IN THE FACILITY PLANNING, DESIGN AND CONSTRUCTION PROCESS AS IT PERTAINS TO FOODSERVICE EQUIPMENT AND ARE SUBJECT TO APPROVAL BEFORE INCLUSION IN THE OFFICIAL SET OF CONSTRUCTION DOCUMENTS.
ALTHOUGH EVERY EFFORT HAS BEEN MADE TO ENSURE THAT THE INFORMATION CONTAINED WITHIN THESE DOCUMENTS IS AS COMPLETE AND ACCURATE AS POSSIBLE, IT IS THE RESPONSIBILITY OF EACH INDIVIDUAL TRADE TO REVIEW ALL DOCUMENTATION PROVIDED BY DRS FOOD SERVICE DESIGN TO CONFIRM THAT THE INFORMATION CONTAINED HEREIN IS COMPREHENSIBLE, FREE FROM ERRORS, INCONSISTENCIES AND/OR OMISSIONS AS IT RELATES TO ANY AND ALL SPECIFIC ARCHITECTURAL FEATURES AS WELL AS ALL ELECTRICAL, MECHANICAL AND PLUMBING UTILITIES REQUIRED TO SUPPORT THE PROPER FUNCTION OF ALL FOODSERVICE EQUIPMENT PROVIDED BY DRS FOODSERVICE DESIGN, INC. BEFORE BEGINNING CONSTRUCTION.

VENTILATION CONNECTIONS SCHEDULE						
ITEM	QTY	CONNECTION	SIZE	CFM	SP	REMARKS
V01	1	EXHAUST	4" X 16"	200	--	DISH MACHINE LOAD END
V02	1	EXHAUST	4" X 16"	200	--	DISH MACHINE UNLOAD END
V03	1	EXHAUST	10" X 13"	1630	0.75"	MAIN EXHAUST HOOD
V04	1	SUPPLY	12" X 24"	1304	0.20"	MAIN EXHAUST HOOD
V05	1	EXHAUST	10" X 17"	2174	0.75"	MAIN EXHAUST HOOD
V06	1	SUPPLY	12" X 28"	1739	0.20"	MAIN EXHAUST HOOD

ELECTRICAL CONNECTIONS SCHEDULE											
NUMBER	CONNECTION	SERVICE TO	ITEM NO.	HP	KW	AMPS	VOLT	PHASE	LOCATION	A.F.F.	REMARKS
E1	JUNCT. BOX	REMOTE CONDENSER-COOLER	3	--	--	9.1	208	3	VERIFY	VERIFY	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E2	JUNCT. BOX	REMOTE CONDENSER-FREEZER	2	--	--	11.0	208	3	VERIFY	VERIFY	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E3	JUNCT. BOX	LIGHTS, DOOR HEATER, ALARM	4	--	--	10.0	120	1	FROM ABOVE	CEILING	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E4	JUNCT. BOX	HEAT TAPE	6	--	--	10.0	120	1	FROM ABOVE	CEILING	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E5	JUNCT. BOX	BLOWER COOL-COOLER	8	--	--	2.0	120	1	FROM ABOVE	CEILING	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E6	JUNCT. BOX	LOAD CENTER	58	--	--	--	--	--	FLOOR	STUB UP	REFER TO LOAD CENTER SCHEDULE #E-6
E7	DUPLEX	CONVENIENCE OUTLET	--	--	--	15.0	120	1	WALL	50"	--
E8	SINGLE	FOOD PROCESSOR	28	3.0	--	3.8	208/240	3	WALL	50"	--
E9	JUNCT. BOX	DISPOSER W/CONTROL	33/103	2.0	--	6.6	208	3	WALL	14"	E.C. TO WIRE THRU SWITCH & SOLENOID
E10	DUPLEX	SLICER	34	1/2	--	3.0	120	1	WALL	50"	--
E11	JUNCT. BOX	FIRE SUPPRESSION SYSTEM	36	--	--	16.0	120	1	FROM ABOVE	CEILING	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E12	PULL BOX	EMPTY OCTAGON BOX	--	--	--	--	--	--	WALL	48"	Ø POINT OF EGRESS PER LOCAL CODES
E13	SINGLE	FRYER/FILTER ASSEMBLY	38	--	17.0	48.0	208	1	WALL	18"	--
E14	DUPLEX	DUMP STATION/HEAT LAMP	38	--	--	15.0	120	1	WALL	18"	--
E15	DUPLEX	CONVENIENCE OUTLET	42	--	--	15.0	120	1	WALL	18"	--
E16	JUNCT. BOX	DOUBLE COMBI OVEN (2 CONN)	45	--	1.0	4.8/4.2	208/240	3	WALL	20" & 36"	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E17	DUPLEX	DOUBLE CONVECTION OVEN (2 CONN)	46	--	--	15.0	120	1	WALL	20" & 36"	--
E18	JUNCT. BOX	EXHAUST HOOD	47	--	--	16.0	120	1	FROM ABOVE	CEILING	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E19	DUPLEX	ICE/WATER DISPENSER	80	--	--	8.5	120	1	WALL	50"	--
E20	DUPLEX	20 QT. MIXER	64	1/2	--	6.0	120	1	WALL	24"	--
E21	EMPTY CONDUIT	DATA/COMMUNICATIONS POINT	--	--	--	--	--	--	VERIFY	VERIFY	PER OWNER SUPPLIED EQUIPMENT
E22	SINGLE	1 DOOR HOT BOX	66	--	--	6.0	208/240	1	WALL	76"	--
E23	JUNCT. BOX	ICE MAKER	71	--	--	9.1	120	1	WALL	66"	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E24	SINGLE	COFFEE MAKER	74	--	--	30.0	208	1	WALL	50"	E.C. TO VERIFY LOAD REQUIREMENTS W/VENDOR SUPPLIED EQUIPMENT
E25	DUPLEX	ICED TEA BREWER	75	--	--	16.0	120	1	WALL	50"	E.C. TO VERIFY LOAD REQUIREMENTS W/VENDOR SUPPLIED EQUIPMENT
E26	SINGLE	UPRIGHT BEVERAGE CASE	98	--	2.03	10.8	208-240	1	WALL	18"	--
E27	DUPLEX	AMBIENT CARBONATOR	117	--	--	15.0	120	1	WALL	18"	E.C. TO VERIFY LOAD W/VENDOR SUPPLIED EQUIPMENT
E28	DUPLEX	ICE/SODA DISPENSER	114	--	--	15.0	120	1	WALL	50"	E.C. TO VERIFY LOAD W/OWNER SUPPLIED EQUIPMENT
E29	DUPLEX	REACH-IN REFRIGERATOR	83	--	--	4.2	120	1	WALL	76"	--
E30	JUNCT. BOX	LOAD CENTER	85	--	--	--	--	--	WALL	10"	REFER TO LOAD CENTER SCHEDULE #E-30
E31	DUPLEX	MICROWAVE OVEN	97	--	--	14.0	120	1	WALL	50"	--
E32	SPARE NUMBER	--	--	--	--	--	--	--	--	--	--
E33	JUNCT. BOX	DISH MACHINE	106	--	--	45.1	480	3	WALL	50"	E.C. TO BRANCH TO CONNECTION AS REQUIRED
E34	DUPLEX	TEMPERING KIT	106	--	--	15.0	120	1	WALL	24"	--
E35	DUPLEX-VERIFY	DRAIN PUMP (SUPPLIED BY GC)	--	--	--	VERIFY	VERIFY	VERIFY	WALL	18"	E.C. TO COORDINATE WITH G.C. RE PUMP POWER

PLUMBING CONNECTIONS SCHEDULE							
NUMBER	SIZE	DESCRIPTION	LOCATION	A.F.F.	SERVICE TO	ITEM NO.	REMARKS
P1	1"	INDIRECT WASTE	--	--	AIR GAP DRAIN	--	--
P2	2"	INDIRECT WASTE	--	--	AIR GAP DRAIN	--	--
P3	1/2"	HOT & COLD WATER	WALL	18"	FAUCET	--	--
P4	1/2"	HOT & COLD WATER	WALL	14"	HAND SINK	--	--
P5	1-1/2"	DIRECT WASTE	WALL	20"	HAND SINK	--	P.C. TO DETERMINE DRAIN HEIGHT
P6	FLOOR SINK	--	--	--	--	--	--
P7	FLOOR DRAIN	--	--	--	--	--	--
P8	1/2"	HOT WATER	WALL	12"	FAUCET	--	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P9	3/4"	COLD WATER	WALL	12"	FAUCET/DISPOSER	33	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P10	2"	DIRECT WASTE	WALL	14"	DISPOSER W/CONTROL	33	P.C. TO BY-PASS GREASE TRAP
P11	3"	DIRECT WASTE	FLOOR	--	S/S FLOOR TROUGH W/GRATE	67	--
P12	1/2"	COLD WATER	WALL	72"	WATER FILTER ASSEMBLY	72	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P13	2) 3/4"	COLD WATER	WALL	18"	DOUBLE COMBI OVEN	45	P.C. TO BRANCH TO COMBI OVEN THRU WATER FILTER ASSEMBLY
P14	2) 3/4"	COLD WATER	WALL	18"	DOUBLE COMBI OVEN	45	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P15	3/4"	GAS @ 128,000 BTU	WALL	18" & 30"	DOUBLE CONVECTION OVEN	45	P.C. TO BRANCH TO CONNECTION AS REQUIRED & PROVIDE QUICK DISCONNECT
P16	3/4"	GAS @ 120,000 BTU	WALL	18" & 30"	DOUBLE CONVECTION OVEN	46	P.C. TO BRANCH TO CONNECTION AS REQUIRED & PROVIDE QUICK DISCONNECT
P17	3/4"	GAS @ 235,000 BTU	WALL	18"	6 BURNER RANGE W/OVEN	43	P.C. TO BRANCH TO CONNECTION AS REQUIRED & PROVIDE QUICK DISCONNECT
P18	1-1/4"	GAS @ 84,000 BTU	WALL	18"	GRIDDLE W/THERMOSTAT	42	P.C. TO BRANCH TO CONNECTION AS REQUIRED & PROVIDE QUICK DISCONNECT
P19	1/2"	HOT WATER	WALL	12"	PRE-RINSE	102	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P20	3/4"	COLD WATER	WALL	12"	PRE-RINSE/DISPOSER	102/103	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P21	2"	DIRECT WASTE	WALL	14"	DISPOSER W/CONTROL	103	P.C. TO BY-PASS GREASE TRAP
P22	1/2"	HOT WATER @ 110 DEG. MINIMUM	WALL	18"	DISH MACHINE W/BOOSTER HEATER	106	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P23	1/2"	COLD WATER	WALL	12"	DRAIN TEMPERING KIT	106	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P24	3"	DIRECT WASTE	FLOOR	--	S/S FLOOR TROUGH W/GRATE	104	--
P25	1/2"	COLD WATER	WALL	18"	AMBIENT CARBONATOR	117	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P26	1/2"	COLD WATER	WALL	18"	CUBE ICE MAKER/FILTER	113/116	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P27	--	SPARE NUMBER	--	--	--	--	--
P28	1/2"	HOT & COLD WATER	WALL	36"	MOP SINK W/HOSE BIBB	17	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P29	3/4"	HOT & COLD WATER	WALL	14"	3-COMP/CLEAN DISH TABLE	107	P.C. TO BRANCH TO CONNECTION AS REQUIRED
P30	1/2"	COLD WATER	FLOOR	STUB	SUPPLY	--	P.C. TO BRANCH TO CONNECTION AS REQUIRED

COOKS TABLE LOAD CENTER SCHEDULE						
CONNECTION E-6						
ITEM	QTY	DESCRIPTION	VOLTAGE	HP	KW	AMPS
--	2	CONVENIENCE OUTLET	120/1	--	--	15.0
14	1	BASE ACTIVATOR	208-230/1	--	--	24.9
48	1	CONVEYOR TOASTER	208/1	--	2.23	10.7
52	1	MICROWAVE OVEN	120/1	--	1.55	14.0
54	1	4-WELL HOT FOOD UNIT	208/240/3	--	1.24/1.65	--
57	1	U/C FREEZER	120/1	1/5	--	4.5
61	1	DROP-IN SOUP WELL	120/1	--	.825	--
62	1	BUILT-IN ROLL WARMER	120/1	--	0.45	3.8
59	3	PRINTER	120/1	--	--	15.0
60	1	HEAT LAMP	120/1	--	.95	7.9
51	1	REFRIGERATED SANDWICH UNIT	120/1	0.3	--	4.0

SERVING COUNTER LOAD CENTER SCHEDULE						
CONNECTION E-30						
ITEM	QTY	DESCRIPTION	VOLTAGE	HP	KW	AMPS
--	2	CONVENIENCE OUTLET	120/1	--	--	15.0
86	1	4-WELL HOT FOOD UNIT	208/240/3	--	1.24/1.65	--
87	1	SINGLE TIER FOOD SHIELD W/LIGHTS/HEAT LAMP	120/1	--	--	18.0
88	1	DROP-IN COLD PAN	120/1	--	--	4.6
91	1	TWO TIER FOOD SHIELD W/LIGHTS	120/1	--	--	10.0
92	1	POS SYSTEM-DEDICATED CIRCUIT	120/1	--	--	15.0
59	1	PRINTER	120/1	--	--	15.0

PRELIMINARY/NOT FOR CONSTRUCTION