





OVERALL EXISTING FLOOR PLAN



Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District



A1000
FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012

DATE:	October 6, 2025
DRAWN:	C. Pettit
CHECKED:	W. Altman
REVISIONS:	1.
www.altmanbarrettarchitects.com	




Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018



Altman + Barrett



PARTIAL FLOOR PLAN — BLDG 5010 — DEMOLITION



GENERAL DEMOLITION NOTES

- 1) ○ INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CLEAN, SAND, AND PREP ALL SURFACES SCHEDULED FOR NEW PAINT. PREP INCLUDES REMOVAL OF EXISTING ADHESIVES, NAILS, SCREWS, ETC. TO PROVIDE A CONSISTENT SURFACE TO RECEIVE NEW PAINT.
- 5) PROTECT EXISTING TO REMAIN FINISHES DURING CONSTRUCTION.
- 6) PROTECT EXISTING SPRINKLER HEADS UNLESS NOTED FOR REPLACEMENT ON FIRE SPRINKLER DRAWINGS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT UNLESS INDICATED OTHERWISE.
- 7) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 8) PREP ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS FOR PAINTING. PREP INCLUDES SANDING THE FRAMES TO PROVIDE A SMOOTH FINISH FOR NEW PAINT.
- 9) CONTRACTOR SHALL LABEL ALL ITEMS MARKED FOR REINSTALLATION TO ENSURE THEY ARE REINSTALLED IN SAME LOCATION.
- 10) A WIRELESS CRISIS ALERT SYSTEM IS PRESENT THROUGHOUT THE FACILITY. CONTRACTOR SHALL CONTACT CENTEXIS FOR A COST TO REMOVE AND REINSTALL THE EXISTING SYSTEM WITHIN THE WORK AREAS. CONTRACTOR SHALL INCLUDE COSTS IN THE BID.

DEMOLITION LEGEND — FLOOR PLAN

- 1) PROTECT EXISTING FLOORING SCHEDULED TO REMAIN.
- 2) REMOVE AND DISPOSE OF EXISTING FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 3) REMOVE AND DISPOSE OF EXISTING EPOXY FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 4) DEMO EXISTING CERAMIC TILE FLOORING AND MUDDING. ASSUME MAX DEPTH OF 2.5".
- 5) REMOVE EXISTING PAINT/SEALER. PREP SLAB FOR NEW SCHEDULED FINISH.
- 6) CLEAN AND PREP EXISTING QUARRY TILE PER EPOXY MANUFACTURER RECOMMENDATIONS AND PREP FOR NEW SCHEDULED FINISH.
- 7) REMOVE AND DISPOSE OF EXISTING WALL BASE.
- 8) REMOVE AND DISPOSE OF EXISTING INTEGRAL EPOXY BASE. PROTECT EXST. WALL. SKIM COAT WALL IF NEEDED FOR NEW BASE.
- 9) REMOVE AND DISPOSE OF EXISTING THRESHOLD UNLESS NOTED FOR REINSTALL. PREP FLOOR FOR SCHEDULED THRESHOLD.
- 10) REMOVE AND DISPOSE OF EXISTING DOOR(S). PATCH HOLES AND PREP FRAME FOR SCHEDULED DOOR AND HARDWARE.
- 11) REMOVE AND DISPOSE OF EXISTING DOOR(S) AND FRAME.
- 12) REMOVE AND DISPOSE OF EXISTING WINDOW FRAME AND GLAZING.
- 13) REMOVE AND DISPOSE OF OPERABLE PARTITION AND SUPPORT STRUCTURE.
- 14) REMOVE EXISTING COUNTERTOP
- 15) REMOVE EXISTING MASONRY WALL
- 16) REMOVE PORTION OF EXISTING MASONRY WALL FOR NEW DOOR FRAME.
- 17) REMOVE EXISTING STEEL COLUMN. REFER TO STRUCTURAL DRAWINGS FOR DETAILS.
- 18) REMOVE EXISTING CONCRETE LOCKER BASE. PATCH CONCRETE SLAB FOR NEW SCHEDULE FINISH. SKIM COAT EXISTING WALL.
- 19) REMOVE RECESSED PAPER TOWEL DISPENSER AND FACE CUP
- 20) REMOVE AND DISPOSE OF EXISTING TOILET AND SHOWER PARTITIONS.
- 21) REMOVE AND DISPOSE OF EXISTING TOILET ACCESSORIES AND PREP WALL FOR NEW SCHEDULED FINISH.
- 22) REMOVE AND DISPOSE OF EXISTING CABINETRY, COUNTERTOP, SHELVEING, AND SINK IF APPLICABLE.
- 23) REMOVE AND DISPOSE OF EXISTING WINDOW BLINDS.
- 24) OWNER TO REMOVE EXISTING ELECTRONIC DISPLAY.
- 25) REMOVE EXISTING METAL AND/OR WOOD LOCKERS.
- 26) REMOVE PORTION OF EXISTING SCREEN WALL FOR STRUCTURAL BEAM INSTALL THROUGH DOOR OPENING
- 27) REMOVE AND PROTECT EXISTING BENCH FOR REINSTALLATION
- 28) REMOVE AND DISPOSE OF EXISTING PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR EXTENT.
- 29) RELOCATE WALL MOUNTED DATA CABINET. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
- 30) REMOVE AND DISPOSE OF EXISTING MECHANICAL EQUIPMENT. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 31) REMOVE AND DISPOSE OF EXISTING MECHANICAL WALL GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 32) DEMO EXISTING SLAB FOR REMOVAL OF COLUMN AND/OR INSTALLATION OF NEW FOOTING

Altman + Barrett

STATE OF GEORGIA
REGISTERED ARCHITECT
WALTER C. ALTMAN
No. 6600

ab
architects

Altman + Barrett
a r c h i t e c t s

P.O. BOX 665 — 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE: October 6, 2025
DRAWN: C. Pelletier
CHECKED: W. Altman
REVISIONS: 1.
www.altmanbarrettarchitects.com


Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A2000
FACILITY NO: 736-0191
DRAWINGS ARE THE PROPERTY OF THE ARCHITECT
AND SHALL NOT BE REPRODUCED OR USED WITHOUT
WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012

GENERAL NOTE

1) THIS NOTE IS TO INFORM BIDDERS THAT EQUIPMENT ACCESS TO THE GROUND LEVEL (BASKETBALL COURT LEVEL) IS LIMITED BY EXISTING STAIRS AND A SMALL ELEVATOR ONLY. BIDDERS SHALL BE PREPARED TO UTILIZE FIXED SCAFFOLDING AND/OR CONSTRUCTING A TEMPORARY RAMP FROM THE MAIN LEVEL (TRACK LEVEL) DOWN TO THE GROUND LEVEL (COURT LEVEL).



KEY PLAN

SCALE: NTS

GENERAL DEMOLITION NOTES


- 1) ○ INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CLEAN, SAND, AND PREP ALL SURFACES SCHEDULED FOR NEW PAINT. PREP INCLUDES REMOVAL OF EXISTING ADHESIVES, NAILS, SCREWS, ETC. TO PROVIDE A CONSISTENT SURFACE TO RECEIVE NEW PAINT.
- 5) PROTECT EXISTING TO REMAIN FINISHES DURING CONSTRUCTION.
- 6) PROTECT EXISTING SPRINKLER HEADS UNLESS NOTED FOR REPLACEMENT ON FIRE SPRINKLER DRAWINGS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT UNLESS INDICATED OTHERWISE.
- 7) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 8) PREP ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS FOR PAINTING. PREP INCLUDES SANDING THE FRAMES TO PROVIDE A SMOOTH FINISH FOR NEW PAINT.
- 9) CONTRACTOR SHALL LABEL ALL ITEMS MARKED FOR REINSTALLATION TO ENSURE THEY ARE REINSTALLED IN SAME LOCATION.
- 10) A WIRELESS CRISIS ALERT SYSTEM IS PRESENT THROUGHOUT THE FACILITY. CONTRACTOR SHALL CONTACT CENTEGIX FOR A COST TO REMOVE AND REINSTALL THE EXISTING SYSTEM WITHIN THE WORK AREAS. CONTRACTOR SHALL INCLUDE COSTS IN THE BID.

DEMOLITION LEGEND - FLOOR PLAN



- 1) PROTECT EXISTING FLOORING SCHEDULED TO REMAIN.
- 2) REMOVE AND DISPOSE OF EXISTING FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 3) REMOVE AND DISPOSE OF EXISTING EPOXY FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 4) DEMO EXISTING CERAMIC TILE FLOORING AND MUDBED. ASSUME MAX DEPTH OF 2.5".
- 5) REMOVE EXISTING PAINT/SEALER. PREP SLAB FOR NEW SCHEDULED FINISH.
- 6) CLEAN AND PREP EXISTING QUARRY TILE PER EPOXY MANUFACTURER RECOMMENDATIONS AND PREP FOR NEW SCHEDULED FINISH.
- 7) REMOVE AND DISPOSE OF EXISTING WALL BASE.
- 8) REMOVE AND DISPOSE OF EXISTING INTEGRAL EPOXY BASE. PROTECT EXST. WALL. SKIM COAT WALL IF NEEDED FOR NEW BASE.
- 9) REMOVE AND DISPOSE OF EXISTING THRESHOLD UNLESS NOTED FOR REINSTALL. PREP FLOOR FOR SCHEDULED THRESHOLD.
- 10) REMOVE AND DISPOSE OF EXISTING DOOR(S). PATCH HOLES AND PREP FRAME FOR SCHEDULED DOOR AND HARDWARE.
- 11) REMOVE AND DISPOSE OF EXISTING WINDOW FRAME AND GLAZING.
- 12) REMOVE AND DISPOSE OF OPERABLE PARTITION AND SUPPORT STRUCTURE.
- 13) REMOVE EXISTING COUNTERTOP
- 14) REMOVE EXISTING MASONRY WALL
- 15) REMOVE PORTION OF EXISTING MASONRY WALL FOR NEW DOOR FRAME.
- 16) REMOVE EXISTING STEEL COLUMN. REFER TO STRUCTURAL DRAWINGS FOR DETAILS.
- 17) REMOVE EXISTING CONCRETE LOCKER BASE. PATCH CONCRETE SLAB FOR NEW SCHEDULE FINISH. SKIM COAT EXISTING WALL.
- 18) REMOVE RECESSED PAPER TOWEL DISPENSER AND FACE CMU
- 19) REMOVE AND DISPOSE OF EXISTING TOILET AND SHOWER PARTITIONS.
- 20) REMOVE AND DISPOSE OF EXISTING TOILET ACCESSORIES AND PREP WALL FOR NEW SCHEDULED FINISH.
- 21) REMOVE AND DISPOSE OF EXISTING CABINETRY, COUNTERTOP, SHELVING, AND SINK IF APPLICABLE.
- 22) REMOVE AND DISPOSE OF EXISTING WINDOW BLINDS.
- 23) OWNER TO REMOVE EXISTING ELECTRONIC DISPLAY.
- 24) REMOVE EXISTING METAL AND/OR WOOD LOCKERS.
- 25) REMOVE PORTION OF EXISTING SCREEN WALL FOR STRUCTURAL BEAM INSTALL THROUGH DOOR OPENING
- 26) REMOVE AND PROTECT EXISTING BENCH FOR REINSTALLATION
- 27) REMOVE AND DISPOSE OF EXISTING PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR EXTENT.
- 28) RELOCATE WALL MOUNTED DATA CABINET. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
- 29) REMOVE AND DISPOSE OF EXISTING MECHANICAL EQUIPMENT. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 30) REMOVE AND DISPOSE OF EXISTING MECHANICAL WALL GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 31) DEMO EXISTING SLAB FOR REMOVAL OF COLUMN AND/OR INSTALLATION OF NEW FOOTING

PARTIAL FLOOR PLAN - BLDG 5010 - DEMOLITION

0 2' 4' 8' 16' 24' SCALE 1/8"=1'0"



Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018


DATE: October 6, 2025
DRAWN: C. Pettieau
CHECKED: W. Altman
REVISIONS: 1.
www.altmanbarrettarchitects.com

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A2001
FACILITY NO: 736-0191
DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012


Monday, October 06, 2025



PARTIAL FLOOR PLAN - BLDG 5020 - DEMOLITION

SCALE
0 2' 4' 8' 16' 24' 1/8"=1'0"

1
A2002



KEY PLAN

SCALE: NTS


GENERAL DEMOLITION NOTES

- 1) ○ INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CLEAN, SAND, AND PREP ALL SURFACES SCHEDULED FOR NEW PAINT. PREP INCLUDES REMOVAL OF EXISTING ADHESIVES, NAILS, SCREWS, ETC. TO PROVIDE A CONSISTENT SURFACE TO RECEIVE NEW PAINT.
- 5) PROTECT EXISTING TO REMAIN FINISHES DURING CONSTRUCTION.
- 6) PROTECT EXISTING SPRINKLER HEADS UNLESS NOTED FOR REPLACEMENT ON FIRE SPRINKLER DRAWINGS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT UNLESS INDICATED OTHERWISE.
- 7) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 8) PREP ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS FOR PAINTING. PREP INCLUDES SANDING THE FRAMES TO PROVIDE A SMOOTH FINISH FOR NEW PAINT.
- 9) CONTRACTOR SHALL LABEL ALL ITEMS MARKED FOR REINSTALLATION TO ENSURE THEY ARE REINSTALLED IN SAME LOCATION.
- 10) A WIRELESS CRISIS ALERT SYSTEM IS PRESENT THROUGHOUT THE FACILITY. CONTRACTOR SHALL CONTACT CENTEGIX FOR A COST TO REMOVE AND REINSTALL THE EXISTING SYSTEM WITHIN THE WORK AREAS. CONTRACTOR SHALL INCLUDE COSTS IN THE BID.

DEMOLITION LEGEND - FLOOR PLAN

- 1) PROTECT EXISTING FLOORING SCHEDULED TO REMAIN.
- 2) REMOVE AND DISPOSE OF EXISTING FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 3) REMOVE AND DISPOSE OF EXISTING EPOXY FLOORING. PREP SLAB FOR NEW SCHEDULED FINISH.
- 4) DEMO EXISTING CERAMIC TILE FLOORING AND MUDDER. ASSUME MAX DEPTH OF 2.5".
- 5) REMOVE EXISTING PAINT/SEALER. PREP SLAB FOR NEW SCHEDULED FINISH.
- 6) CLEAN AND PREP EXISTING QUARRY TILE PER EPOXY MANUFACTURER RECOMMENDATIONS AND PREP FOR NEW SCHEDULED FINISH.
- 7) REMOVE AND DISPOSE OF EXISTING WALL BASE.
- 8) REMOVE AND DISPOSE OF EXISTING INTEGRAL EPOXY BASE. PROTECT EXST. WALL. SKIM COAT WALL IF NEEDED FOR NEW BASE.
- 9) REMOVE AND DISPOSE OF EXISTING THRESHOLD UNLESS NOTED FOR REINSTALL. PREP FLOOR FOR SCHEDULED THRESHOLD.
- 10) REMOVE AND DISPOSE OF EXISTING DOOR(S). PATCH HOLES AND PREP FRAME FOR SCHEDULED DOOR AND HARDWARE.
- 11) REMOVE AND DISPOSE OF EXISTING DOOR(S) AND FRAME.
- 12) REMOVE AND DISPOSE OF EXISTING WINDOW FRAME AND GLAZING.
- 13) REMOVE AND DISPOSE OF OPERABLE PARTITION AND SUPPORT STRUCTURE.
- 14) REMOVE EXISTING COUNTERTOP
- 15) REMOVE EXISTING MASONRY WALL
- 16) REMOVE PORTION OF EXISTING MASONRY WALL FOR NEW DOOR FRAME.
- 17) REMOVE EXISTING STEEL COLUMN. REFER TO STRUCTURAL DRAWINGS FOR DETAILS.
- 18) REMOVE EXISTING CONCRETE LOCKER BASE. PATCH CONCRETE SLAB FOR NEW SCHEDULE FINISH. SKIM COAT EXISTING WALL.
- 19) REMOVE RECESSED PAPER TOWEL DISPENSER AND FACE CMU
- 20) REMOVE AND DISPOSE OF EXISTING TOILET AND SHOWER PARTITIONS.
- 21) REMOVE AND DISPOSE OF EXISTING TOILET ACCESSORIES AND PREP WALL FOR NEW SCHEDULED FINISH.
- 22) REMOVE AND DISPOSE OF EXISTING CABINETRY, COUNTERTOP, SHELVING, AND SINK IF APPLICABLE.
- 23) REMOVE AND DISPOSE OF EXISTING WINDOW BLINDS.
- 24) OWNER TO REMOVE EXISTING ELECTRONIC DISPLAY.
- 25) REMOVE EXISTING METAL AND/OR WOOD LOCKERS.
- 26) REMOVE PORTION OF EXISTING SCREEN WALL FOR STRUCTURAL BEAM INSTALL THROUGH DOOR OPENING
- 27) REMOVE AND PROTECT EXISTING BENCH FOR REINSTALLATION
- 28) REMOVE AND DISPOSE OF EXISTING PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR EXTENT.
- 29) RELOCATE WALL MOUNTED DATA CABINET. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
- 30) REMOVE AND DISPOSE OF EXISTING MECHANICAL EQUIPMENT. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 31) REMOVE AND DISPOSE OF EXISTING MECHANICAL WALL GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT AND DETAILS.
- 32) DEMO EXISTING SLAB FOR REMOVAL OF COLUMN AND/OR INSTALLATION OF NEW FOOTING

Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018


DATE: October 6, 2025
DRAWN: C. Pettieau
CHECKED: W. Altman
REVISIONS: 1.
www.altmanbarrettarchitects.com

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A2002
FACILITY NO: 736-0191



REVISIONS: 1.
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012



PARTIAL FLOOR PLAN – BLDG 5010 – RENOVATION

0' 2' 4' 8' 16' 24' SCALE
1/8"=1'-0"




GENERAL RENOVATION NOTES

- 1) INDICATES RENOVATION NOTES
- 2) PROTECT EXISTING FIRE RATED CEILING AND WALL INCLUDING THOSE ABOVE LAY-IN CEILING.
- 3) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK AT PERIMETER OF EXTERIOR DOORS.
- 4) PREP AND PAINT ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS.
- 5) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK FOR ALL INTERIOR EXPANSION JOINTS WITHIN WORK AREA.
- 6) REPLACE MASONRY UNITS WHERE REQUIRED DUE TO REPLACEMENT OF EXISTING PLUMBING FIXTURES. TYPICAL ALL LOCATIONS.

RENOVATION LEGEND – FLOOR PLAN

- 1) INSTALL NEW LOW-SLUMP, LOW SHRINKAGE CEMENTIOUS FILL. ASSUME MAX DEPTH OF 2.5"
- 2) INSTALL NEW CONCRETE FOOTING AND/OR SLAB FLUSH WITH EXISTING FLOOR. REFER TO STRUCTURAL DRAWINGS.
- 3) INSTALL NEW COUNTERTOP
- 4) BOND AND SAND HINGE AND STRIKE PREP OF EXISTING DOOR FRAME
- 5) CONSTRUCT NEW CMU WALL. DRILL AND EPOXY REBAR INTO SLAB AT 48" O.C. MAX AND FILL CELL SOLID TO TOP OF WALL.
- 6) RECONSTRUCT PORTION OF EXISTING SCREEN WALL IN LIKE MANNER AS EXISTING
- 7) REINSTALL EXISTING BENCH
- 8) INSTALL NEW PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR DETAILS

Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 – 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE:	October 6, 2025
DRAWN:	C. Pettit
CHECKED:	W. Altman
REVISIONS:	1.
www.altmanbarrettarchitects.com	

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District


A2100
FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012

GENERAL NOTES

1) THIS NOTE IS TO INFORM BIDDERS THAT EQUIPMENT ACCESS TO THE GROUND LEVEL (BASKETBALL COURT LEVEL) IS LIMITED BY EXISTING STAIRS AND A SMALL ELEVATOR ONLY. BIDDERS SHALL BE PREPARED TO UTILIZE FIXED SCAFFOLDING AND/OR CONSTRUCTING A TEMPORARY RAMP FROM THE MAIN LEVEL (TRACK LEVEL) DOWN TO THE GROUND LEVEL (COURT LEVEL).



KEY PLAN

SCALE: NTS

GENERAL RENOVATION NOTES


- 1) O INDICATES RENOVATION NOTES
- 2) PROTECT EXISTING FIRE RATED CEILINGS AND WALL INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 3) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK AT PERIMETER OF EXTERIOR DOORS.
- 4) PREP AND PAINT ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS.
- 5) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK FOR ALL INTERIOR EXPANSION JOINTS WITHIN WORK AREA.
- 6) REPLACE MASONRY UNITS WHERE REQUIRED DUE TO REPLACEMENT OF EXISTING PLUMBING FIXTURES. TYPICAL ALL LOCATIONS.

RENOVATION LEGEND - FLOOR PLAN



- 1) INSTALL NEW LOW-SLUMP, LOW SHRINKAGE CEMENTIOUS FILL. ASSUME MAX DEPTH OF 2.5"
- 2) INSTALL NEW CONCRETE FOOTING AND/OR SLAB FLUSH WITH EXISTING FLOOR. REFER TO STRUCTURAL DRAWINGS.
- 3) INSTALL NEW COUNTERTOP
- 4) BONDO AND SAND HINGE AND STRIKE. PREP OF EXISTING DOOR FRAME
- 5) CONSTRUCT NEW CMU WALL. DRILL AND EPOXY REBAR INTO SLAB AT 48" O.C. MAX AND FILL CELL SOLID TO TOP OF WALL.
- 6) RECONSTRUCT PORTION OF EXISTING SCREEN WALL IN LIKE MANNER AS EXISTING
- 7) REINSTALL EXISTING BENCH
- 8) INSTALL NEW PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR DETAILS

PARTIAL FLOOR PLAN - BLDG 5010 - RENOVATION

0 2' 4' 8' 16' 24' SCALE
1/8"=1'0"



Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018


DATE: October 6, 2025
DRAWN: C. Pettieau
CHECKED: W. Altman
REVISIONS: 1.
www.altmanbarrettarchitects.com

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District


A2101
FACILITY NO: 736-0191

REVISIONS: 1.
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.


PROJECT NO: 25012



PARTIAL FLOOR PLAN - BLDG 5020 - RENOVATION



1
A2102



KEY PLAN

SCALE: NTS


GENERAL RENOVATION NOTES

- 1) INDICATES RENOVATION NOTES
- 2) PROTECT EXISTING FIRE RATED CEILINGS AND WALL INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 3) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK AT PERIMETER OF EXTERIOR DOORS.
- 4) PREP AND PAINT ALL SIDES OF EXISTING HOLLOW METAL DOORS, DOOR FRAMES, WINDOW FRAMES, AND LINTELS.
- 5) REMOVE EXISTING CAULK, CLEAN JOINT, AND INSTALL NEW CAULK FOR ALL INTERIOR EXPANSION JOINTS WITHIN WORK AREA.
- 6) REPLACE MASONRY UNITS WHERE REQUIRED DUE TO REPLACEMENT OF EXISTING PLUMBING FIXTURES. TYPICAL ALL LOCATIONS.

RENOVATION LEGEND - FLOOR PLAN

- 1) INSTALL NEW LOW-SLUMP, LOW SHRINKAGE CEMENTIOUS FILL. ASSUME MAX DEPTH OF 2.5"
- 2) INSTALL NEW CONCRETE FOOTING AND/OR SLAB FLUSH WITH EXISTING FLOOR. REFER TO STRUCTURAL DRAWINGS.
- 3) INSTALL NEW COUNTERTOP
- 4) BONDO AND SAND HINGE AND STRIKE. PREP OF EXISTING DOOR FRAME
- 5) CONSTRUCT NEW CMU WALL. DRILL AND EPOXY REBAR INTO SLAB AT 48" O.C. MAX AND FILL CELL SOLID TO TOP OF WALL.
- 6) RECONSTRUCT PORTION OF EXISTING SCREEN WALL IN LIKE MANNER AS EXISTING
- 7) REINSTALL EXISTING BENCH
- 8) INSTALL NEW PLUMBING FIXTURE. REFER TO PLUMBING DRAWINGS FOR DETAILS

Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE:	October 6, 2025
DRAWN:	C. Pettiean
CHECKED:	W. Altman
REVISIONS:	1.
www.altmanbarrettarchitects.com	

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District



A2102
FACILITY NO: 736-0191

REVISIONS ARE THE PROPERTY OF THE ARCHITECT
AND SHALL NOT BE REPRODUCED OR USED WITHOUT
WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.



PROJECT NO: 25012

DOOR SCHEDULE

ROOM NUMBER	DOOR NUMBER	LOCATION	WIDTH	HEIGHT	THICK	DOOR TYPE	FRAME TYPE	HD'W NUMBER	REMARKS	IDENTIFICATION
BLDG 5010										
104	104A	EVENTS AREA	PR. 3'-10"	6'-8"	1 3/4"	HMF	EXIST.	---		
	104B	EVENTS AREA	PR. 3'-10"	6'-8"	1 3/4"	HMF	EXIST.	---		
	104C	EVENTS AREA	PR. 3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		
	104D	EVENTS AREA	PR. 3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		
138	138A	CLASSROOM	3'-0"	6'-8"	1 3/4"	HMG	EXIST.	---		CLASSROOM
139	139A	VESTIBULE-1	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VESTIBULE
140	140A	VISITOR LOCKER ROOM	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VISITOR LOCKER ROOM
141	141A	TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		TOILET
142	142A	TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		TOILET
143	143A	CLOSET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		
144.1	144.1A	ACCESS	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		MECHANICAL
145	145A	VESTIBULE-2	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VESTIBULE
146	146A	GIRLS P.E. LOCKERS	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		GIRLS P.E. LOCKERS
148	148A	STORAGE	3'-0"	6'-8"	1 3/4"	HMF	HM-6	---	B LABEL (1-HR)	STORAGE
149	149A	VESTIBULE-3	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VESTIBULE
150	150A	BOYS P.E. LOCKERS	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		BOYS P.E. LOCKERS
152	152A	STORAGE	3'-0"	6'-8"	1 3/4"	HMF	HM-6	---	B LABEL (1-HR)	STORAGE
153	153A	CORRIDOR-4	PR. 3'-0"	6'-8"	1 3/4"	AL1	EXIST.	---	HOLD OPEN CLOSER - CARD READER	
154	154A	VESTIBULE-4	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VESTIBULE
155	155A	VISITOR LOCKER ROOM	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VISITOR LOCKER ROOM
156	156A	TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		TOILET
157	157A	TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		TOILET
158	158A	OFFICE	3'-0"	6'-8"	1 3/4"	HMF	HM-1	---		OFFICE
160	160A	TOILET	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		TOILET
162	162A	GIRLS TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		GIRLS TOILET
	162B	GIRLS TOILET	3'-0"	6'-0"	1 3/4"	HMF2	HM-3	---		
	162C	GIRLS TOILET	2'-4"	6'-0"	1 3/4"	HMF2	HM-3	---		
	162D	GIRLS TOILET	2'-4"	6'-0"	1 3/4"	HMF2	HM-3	---		
	162E	GIRLS TOILET	2'-4"	6'-0"	1 3/4"	HMF2	HM-3	---		
	162F	GIRLS TOILET	2'-4"	6'-0"	1 3/4"	HMF2	HM-3	---		
	162G	GIRLS TOILET	3'-0"	6'-0"	1 3/4"	HMF2	HM-3	---		
163	163A	TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		TOILET
164	164A	CHASE	2'-4"	7'-0"	1 3/4"	HMF	HM-1	---		CHASE
165	165A	BOYS TOILET	3'-0"	7'-0"	1 3/4"	HMF	HM-1	---		BOYS TOILET
	165B	BOYS TOILET	3'-0"	6'-0"	1 3/4"	HMF2	HM-3	---		
	165C	BOYS TOILET	2'-4"	6'-0"	1 3/4"	HMF2	HM-3	---		
	165D	BOYS TOILET	3'-0"	6'-0"	1 3/4"	HMF2	HM-3	---		
166	166A	VESTIBULE	PR. 2'-10"	6'-8"	1 3/4"	HMF	EXIST.	---		VESTIBULE
	167B	WRESTLING ROOM	---	---	---	---	EXIST.	---	INSTALL PLATES ON HINGE PREP OF FRAME	WRESTLING ROOM
168	168A	WORK AREA	PR. 2'-10"	7'-0"	1 3/4"	HMF	HM-2	---		WORK AREA
	168B	WORK AREA	3'-8"	7'-0"	1 3/4"	HMF	EXIST.	---		
169	169A	LAUNDRY	PR. 2'-10"	6'-8"	1 3/4"	HMF	EXIST.	---		LAUNDRY
	169B	LAUNDRY	2'-4"	6'-8"	1 3/4"	HMF	EXIST.	---		LAUNDRY
170	170A	VESTIBULE	PR. 2'-10"	6'-8"	1 3/4"	HMF	EXIST.	---	HOLD OPEN CLOSER	
171	171A	STORAGE	3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		STORAGE
173	173A	OFFICE	3'-0"	7'-0"	1 3/4"	HMF	HM-5	---		OFFICE
174	174A	OFFICE	3'-0"	7'-0"	1 3/4"	HMF	HM-4	---		OFFICE
175	175A	VARSITY WEIGHTROOM	PR. 3'-0"	6'-8"	1 3/4"	HMF	EXIST.	---		VARSITY WEIGHTROOM
	175B	VARSITY WEIGHTROOM	PR. 3'-0"	6'-8"	1 3/4"	AL1	EXIST.	---	CARD READER	
BLDG 5020										
107	107A	CORRIDOR	PR. 3'-6"	7'-0"	1 3/4"	HMG	EXIST.	---	CARD READER	
109	109A	STRINGS	3'-0"	6'-8"	1 3/4"	WDG	EXIST.	---		STRINGS
110	110A	DRAMA	PR. 3'-0"	6'-8"	1 3/4"	WDG	HM-2	---		DRAMA
	110B	DRAMA	PR. 3'-6"	7'-0"	1 3/4"	HMF	EXIST.	---		
111	111A	OFFICE	3'-0"	6'-8"	1 3/4"	WDG1	EXIST.	---		OFFICE
112	112A	WORKROOM	3'-0"	6'-8"	1 3/4"	WDG1	EXIST.	---		WORKROOM
113	113A	TOILET 2	3'-0"	6'-8"	1 3/4"	WDF	EXIST.	---		TOILET
114	114A	STORAGE 2	3'-0"	6'-8"	1 3/4"	WDF	EXIST.	---		STORAGE
115	115A	EQUIPMENT	3'-0"	6'-8"	1 3/4"	WDF	EXIST.	---		EQUIPMENT




"GENDER DESCRIPTION" REFERENCE



IDENTIFICATION DEVICE DETAILS

SCALE: AS SHOWN



CONTRACTOR SHALL COORDINATE THIS WORK WITH THE ELECTRICAL SUBCONTRACTOR AND HARDWARE SUPPLIER TO DETERMINE WHICH PERFORM THIS WORK.

DETAIL FOR EPT ON DOOR

SCALE: 3/8"=1'-0"

GLAZING NOTES


GLAZING AT HOLLOW METAL DOORS AND FRAMES IN FIRE-RATED WALLS SHALL BE 3/16" FIRE RATED GLAZING (F-1).

GLAZING AT HOLLOW METAL DOORS AND FRAMES IN NON-RATED WALLS SHALL BE 1/4" TEMPERED GLASS (GL-1) UNLESS NOTED OTHERWISE.

REFER TO REFLECTED CEILING PLANS FOR LOCATIONS OF FIRE-RATED WALLS.

EXTERIOR ALUMINUM STOREFRONT, AND CURTAINWALL SHALL BE 1" INSULATED GLAZING (IG-1) AS SPECIFIED.

GLAZING AT INTERIOR ALUMINUM SF DOORS AND FRAMES IN NON-RATED WALLS SHALL BE 1/4" TEMPERED GLASS (GL-1) UNLESS NOTED OTHERWISE.



DOOR FRAME TYPES

SCALE: 3/8"=1'-0"

Altman + Barrett



altman + barrett architects

Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE: October 6, 2025
DRAWN: C. Petitjean
CHECKED: W. Altman
REVISIONS: 1
www.altmanbarrettarchitects.com


Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A4000

FACILITY NO: 736-0191


OWNERS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012




ENLARGED PLAN
SCALE: 1/4"=1'-0"

1
A4100




ENLARGED PLAN
SCALE: 1/4"=1'-0"

2
A4100




ENLARGED PLAN
SCALE: 1/4"=1'-0"

3
A4100




ENLARGED PLAN
SCALE: 1/4"=1'-0"

4
A4100




ENLARGED PLAN
SCALE: 1/4"=1'-0"

5
A4100



ENLARGED PLAN
SCALE: 1/4"=1'-0"

6
A4100




Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District


A4100
FACILITY NO: 736-0191
PROJECT NO: 25012

DATE: October 6, 2025
DRAWN: C. Pettiean
CHECKED: W. Altman
REVISIONS: 1
www.altmanbarrettarchitects.com

Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018




Altman + Barrett



PARTIAL REFLECTED CEILING PLAN - BLDG 5010 - DEMOLITION

0 2' 4' 8' 16' 24' SCALE 1/8"=1'-0"

1
A6000




GENERAL RCP DEMOLITION NOTES

- 1) INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CONTRACTOR SHALL LABEL ALL CEILING MOUNTED TECHNOLOGY DEVICES. CONTRACTOR SHALL TEMPORARILY SUPPORT, COVER, AND PROTECT DEVICE THROUGH THE RENOVATION UNLESS NOTED TO BE REMOVED AND REPLACED.
- 5) PROTECT ALL THE ABOVE CEILING ELECTRICAL, DATA, AND TELEPHONE WIRING ABOVE CEILING WHERE NOT INDICATED TO BE REMOVED. IF NOT PROPERLY SUPPORTED CONTRACTOR SHALL IMMEDIATELY NOTIFY OWNER BEFORE PROCEEDING WITH DEMOLITION OF CEILING.
- 6) REMOVE, PROTECT AND STORE ABOVE CEILING INSULATION FOR REINSTALLATION.
- 7) TEMPORARILY SUSPEND AND PROTECT EXISTING MECHANICAL CEILING GRILLES AND FANS WHICH ARE NOT IDENTIFIED FOR REMOVAL AND/OR REPLACEMENT.
- 8) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.

RCP DEMOLITION LEGEND - FLOOR PLAN

- 1 REMOVE AND DISPOSE OF EXISTING ACOUSTICAL CEILING TILES, GRID, AND SUPPORT WIRES.
- 2 REMOVE AND DISPOSE OF EXISTING CEILING FRAMING AND GWB.
- 3 EXISTING GWB TO REMAIN. REPAIR EXISTING GWB AROUND NEW FIXTURES.
- 4 REMOVE AND DISPOSE OF EXISTING LIGHTING FIXTURES. REFER TO ELECTRICAL DRAWINGS FOR EXTENT.
- 5 PROTECT EXISTING STAGE LIGHTING.
- 6 PROTECT EXISTING PROJECTOR AND PROJECTOR SCREEN.
- 7 REMOVE AND DISPOSE OF EXISTING CEILING MOUNTED GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 8 MODIFY EXISTING EXPOSED DUCT WORK. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 9 CLEAN EXISTING EXPOSED DUCT WORK AND PREP FOR PAINTING.

Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE: October 6, 2025
DRAWN: C. Pettieau
CHECKED: W. Altman
REVISIONS: 1
www.altmanbarrettarchitects.com


Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A6000


FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012



PARTIAL REFLECTED CEILING PLAN – BLDG 5010 – DEMOLITION



GENERAL RCP DEMOLITION NOTES

- 1) INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CONTRACTOR SHALL LABEL ALL CEILING MOUNTED TECHNOLOGY DEVICES. CONTRACTOR SHALL TEMPORARILY SUPPORT, COVER, AND PROTECT DEVICE THROUGH THE RENOVATION UNLESS NOTED TO BE REMOVED AND REPLACED.
- 5) PROTECT ALL THE ABOVE CEILING ELECTRICAL, DATA, AND TELEPHONE WIRING ABOVE CEILING WHERE NOT INDICATED TO BE REMOVED. IF NOT PROPERLY SUPPORTED CONTRACTOR SHALL IMMEDIATELY NOTIFY OWNER BEFORE PROCEEDING WITH DEMOLITION OF CEILING.
- 6) REMOVE, PROTECT AND STORE ABOVE CEILING INSULATION FOR REINSTALLATION.
- 7) TEMPORARILY SUSPEND AND PROTECT EXISTING MECHANICAL CEILING GRILLES AND FANS WHICH ARE NOT IDENTIFIED FOR REMOVAL AND/OR REPLACEMENT.
- 8) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.

RCP DEMOLITION LEGEND – FLOOR PLAN

- 1) REMOVE AND DISPOSE OF EXISTING ACOUSTICAL CEILING TILES, GRID, AND SUPPORT WIRES.
- 2) REMOVE AND DISPOSE OF EXISTING CEILING FRAMING AND GWB.
- 3) EXISTING GWB TO REMAIN. REPAIR EXISTING GWB AROUND NEW FIXTURES.
- 4) REMOVE AND DISPOSE OF EXISTING LIGHTING FIXTURES. REFER TO ELECTRICAL DRAWINGS FOR EXTENT.
- 5) PROTECT EXISTING STAGE LIGHTING.
- 6) PROTECT EXISTING PROJECTOR AND PROJECTOR SCREEN.
- 7) REMOVE AND DISPOSE OF EXISTING CEILING MOUNTED GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 8) MODIFY EXISTING EXPOSED DUCT WORK. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 9) CLEAN EXISTING EXPOSED DUCT WORK AND PREP FOR PAINTING.

Altman + Barrett

Altman + Barrett

architects

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A6001

FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.

DATE: October 6, 2025

DRAWN: C. Petitjean

CHECKED: W. Altman

REVISIONS: 1

www.altmanbarrettarchitects.com


PROJECT NO: 25012

Monday, October 13, 2025

PARTIAL REFLECTED CEILING PLAN – BLDG 5020 – DEMOLITION



1
A6002



KEY PLAN

SCALE: NTS

GENERAL RCP DEMOLITION NOTES

- 1) INDICATES DEMOLITION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) CONTRACTOR SHALL LABEL ALL CEILING MOUNTED TECHNOLOGY DEVICES. CONTRACTOR SHALL TEMPORARILY SUPPORT, COVER, AND PROTECT DEVICE THROUGH THE RENOVATION UNLESS NOTED TO BE REMOVED AND REPLACED.
- 5) PROTECT ALL THE ABOVE CEILING ELECTRICAL, DATA, AND TELEPHONE WIRING ABOVE CEILING WHERE NOT INDICATED TO BE REMOVED. IF NOT PROPERLY SUPPORTED CONTRACTOR SHALL IMMEDIATELY NOTIFY OWNER BEFORE PROCEEDING WITH DEMOLITION OF CEILING.
- 6) REMOVE, PROTECT AND STORE ABOVE CEILING INSULATION FOR REINSTALLATION.
- 7) TEMPORARILY SUSPEND AND PROTECT EXISTING MECHANICAL CEILING GRILLES AND FANS WHICH ARE NOT IDENTIFIED FOR REMOVAL AND/OR REPLACEMENT.
- 8) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.

RCP DEMOLITION LEGEND – FLOOR PLAN

- 1) REMOVE AND DISPOSE OF EXISTING ACOUSTICAL CEILING TILES, GRID, AND SUPPORT WIRES.
- 2) REMOVE AND DISPOSE OF EXISTING CEILING FRAMING AND GWB.
- 3) EXISTING GWB TO REMAIN. REPAIR EXISTING GWB AROUND NEW FIXTURES.
- 4) REMOVE AND DISPOSE OF EXISTING LIGHTING FIXTURES. REFER TO ELECTRICAL DRAWINGS FOR EXTENT.
- 5) PROTECT EXISTING STAGE LIGHTING.
- 6) PROTECT EXISTING PROJECTOR AND PROJECTOR SCREEN.
- 7) REMOVE AND DISPOSE OF EXISTING CEILING MOUNTED GRILLES. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 8) MODIFY EXISTING EXPOSED DUCT WORK. REFER TO MECHANICAL DRAWINGS FOR EXTENT
- 9) CLEAN EXISTING EXPOSED DUCT WORK AND PREP FOR PAINTING.

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A6002

FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2023 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012

DATE: October 6, 2023

DRAWN: C. Pettiean

CHECKED: W. Altman


REVISIONS: 1.

www.altmanbarrettarchitects.com

Altman + Barrett


a r c h i t e c t s

P.O. BOX 665 – 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018





Altman + Barrett

A l t m a n + B a r r e t t A r c h i t e c t s



PARTIAL REFLECTED CEILING PLAN - BLDG 5010 - RENOVATION



KEY PLAN
SCALE: NTS

GENERAL RCP RENOVATION NOTES

- 1) INDICATES RENOVATION NOTES.
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.E.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) INSTALL NEW TIES WIRES FROM STRUCTURE FOR ALL NEW ACOUSTICAL CEILING GRID.
- 5) PROTECT EXISTING SPRINKLER HEADS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT.
- 6) REPLACE EXISTING SPRINKLER HEADS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT UNLESS NOTED OTHERWISE.
- 7) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 8) REINSTALL ABOVE CEILING INSULATION.
- 9) REINSTALL TAGGED CEILING MOUNTED TECHNOLOGY DEVICES IN SAME LOCATION.

RCP RENOVATION LEGEND - FLOOR PLAN

- 1) CLEAN, REPAIR, PREP AND PAINT GWB CEILINGS AND/OR SOFFITS. REFER TO SCHEDULE FOR FINISH.
- 2) INSTALL NEW 6" STUD FRAMING AND GYPSUM WALLBOARD SOFFIT AT INDICATED HEIGHT.
- 3) INSTALL NEW RETROFIT PRE-ENGINEERED INSULATION SYSTEM PER SECTION 072130.
- 4) INSTALL NEW ACOUSTICAL CEILING GRID AND TILE. REFER TO FINISH PLANS FOR TYPE.
- 5) INSTALL NEW LIGHTING AND FIXTURES. REFER TO ELECTRICAL SHEETS FOR EXTENT.
- 6) INSTALL NEW HVAC CEILING GRILLES. REFER TO MECHANICAL SHEETS FOR EXTENT.
- 7) INSTALL NEW HVAC WALL GRILLES. REFER TO MECHANICAL SHEETS FOR GRILLES TO BE REPLACED.

REFLECTED CEILING
PLAN LEGEND

WALL RATING NOTES

1. IDENTIFY ALL FIRE PARTITIONS BY STENCILING WALL ABOVE CEILING IN ACCORDANCE WITH VERBAGE FIRE BARRIER. PROTECT ALL OPENINGS. THE STENCILING SHALL BE 8" HIGH LETTERS AND AT 10' O.C. MAX BOTH SIDES.
2. RATED WALLS AND CEILINGS ARE SHOWN BASED ON EXISTING DRAWINGS AND SOME FIELD VERIFICATION. ALL RATED WALLS SHALL BE PROTECTED DURING CONSTRUCTION. WALLS AND CEILINGS SHALL BE REPAIRED WHERE NEW PENETRATIONS OCCUR.

WALL LEGEND

- EXISTING WALL TO REMAIN
- EXISTING WALL TO BE REMOVED
- CONCRETE MASONRY
- CONCRETE MASONRY WITH BRICK VENEER
- CONCRETE MASONRY WITH 2" E.F.I.S.
- MASONRY OPENING (SEE PLAN FOR HEIGHT)
- CMU PARTITIONS (SEE PLAN FOR HEIGHT)


WALL RATING LEGEND

- 2 - HOUR FIRE
- 1 - HOUR FIRE
- 1 - HOUR FIRE/SOUND
- 1 - HOUR FIRE (HORIZONTAL RATED ASSEMBLY WITH RATED WALLS BELOW)

REFLECTED CEILING PLAN LEGEND

- 2' x 4' LAY-IN LIGHT FIXTURE
- 2' x 2' LAY-IN LIGHT FIXTURE
- 1' x 4' WRAP AROUND LIGHT FIXTURE
- CAN LIGHT
- 4' x 2' LIGHT CHAIN MOUNTED STRIP LIGHT FIXTURE
- 2' x 2' HVAC DIFFUSER
- 2' x 2' HVAC RETURN AIR GRILLE
- 2' x 2' SUSPENDED LAY-IN ACOUSTICAL TILE CEILING
- GYPSUM WALLBOARD CEILING, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE WHERE 1-HOUR RATING IS SHOWN
- GYPSUM WALLBOARD CEILING, 1-HR RATED, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE
- 6" WIDE LINEAR WOOD PLANKS
- METAL SOFFIT PANELS
- EXTERIOR FINISH AND INSULATION SYSTEM OVER 1/2" EXT. GRADE GWB OVER 6" STEEL STUD FRAMING AT 16" O.C. MAX
- R-13 SOUND ATTENUATION BLANKETS INSTALLED OVER ACOUSTICAL CEILING TILE - 5' WIDTH MIN.

Altman + Barrett



Altman + Barrett
a r c h i t e c t s
P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018

DATE: October 6, 2025
DRAWN: C. Pettit
CHECKED: W. Altman
REVISIONS: 1.
www.altmanbarrettarchitects.com

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District


A6100
FACILITY NO: 736-0191

REVISIONS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2025 ALTMAN + BARRETT ARCHITECTS, P.C.


PROJECT NO: 25012




	2' x 4' LAY-IN LIGHT FIXTURE		GYPSUM WALLBOARD CEILING, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE WHERE 1-HOUR RATING IS SHOWN
	2' x 2' LAY-IN LIGHT FIXTURE		GYPSUM WALLBOARD CEILING, 1-HR RATED, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE
	1' x 4' WRAP AROUND LIGHT FIXTURE		6" WIDE LINEAR WOOD PLANKS
	CAN LIGHT		METAL SOFFIT PANELS
	2" LIGHT CHAIN MOUNTED STRIP LIGHT FIXTURE		EXTERIOR FINISH AND INSULATION SYSTEM OVER 1/2" STUCCO GWB OVER 6\" STEEL STUD FRAMING AT 16\" O.C. MAX.
	2' x 2' HVAC DIFFUSER		R-13 SOUND ATTENUATION BLANKETS INSTALLED OVER ACOUSTICAL CEILING TILE - 5" WIDTH MIN.
	2' x 2' HVAC RETURN AIR GRILLE		
	2' x 2' SUSPENDED LAY-IN ACOUSTICAL TILE CEILING		



PARTIAL REFLECTED CEILING PLAN - BLDG 5020 - RENOVATION



1
A6102



KEY PLAN

SCALE: NTS

GENERAL RCP RENOVATION NOTES

- 1) INDICATES RENOVATION NOTES
- 2) DURING BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS OF THIS PROJECT, ALL PARTIES SHALL COMPLY WITH REQUIREMENTS OF N.F.P.A. 241 "BUILDING CONSTRUCTION AND DEMOLITION OPERATIONS".
- 3) ALL REQUIRED MEANS OF EGRESS AND ALL REQUIRED FIRE PROTECTION FEATURES ARE IN PLACE AND CONTINUOUSLY MAINTAINED FOR THE PORTION MAINTAINED IN AREAS OCCUPIED.
- 4) INSTALL NEW TIES WIRES FROM STRUCTURE FOR ALL NEW ACOUSTICAL CEILING GRID.
- 5) PROTECT EXISTING SPRINKLER HEADS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT.
- 6) REPLACE EXISTING SPRINKLER HEADS. COORDINATE NEW CEILING HEIGHT WITH EXISTING HEAD HEIGHT UNLESS NOTED OTHERWISE.
- 7) PROTECT EXISTING FIRE RATED CEILINGS AND WALLS INCLUDING THOSE ABOVE LAY-IN CEILINGS.
- 8) REINSTALL ABOVE CEILING INSULATION.
- 9) REINSTALL TAGGED CEILING MOUNTED TECHNOLOGY DEVICES IN SAME LOCATION.

RCP RENOVATION LEGEND - FLOOR PLAN

- 1) CLEAN, REPAIR, PREP AND PAINT GWB CEILINGS AND/OR SOFFITS. REFER TO SCHEDULE FOR FINISH.
- 2) INSTALL NEW 6" STUD FRAMING AND GYPSUM WALLBOARD SOFFIT AT INDICATED HEIGHT.
- 3) INSTALL NEW RETROFIT PRE-ENGINEERED INSULATION SYSTEM PER SECTION 072130.
- 4) INSTALL NEW ACOUSTICAL CEILING GRID AND TILE. REFER TO FINISH PLANS FOR TYPE.
- 5) INSTALL NEW LIGHTING AND FIXTURES. REFER TO ELECTRICAL SHEETS FOR EXTENT.
- 6) INSTALL NEW HVAC CEILING GRILLES. REFER TO MECHANICAL SHEETS FOR EXTENT.
- 7) INSTALL NEW HVAC WALL GRILLES. REFER TO MECHANICAL SHEETS FOR GRILLES TO BE REPLACED.

REFLECTED CEILING
PLAN LEGEND

WALL RATING NOTES

1. IDENTIFY ALL FIRE PARTITIONS BY STENCILING WALL ABOVE CEILING IN ACCORDANCE WITH VERBAGE "FIRE BARRIER - PROTECT ALL OPENINGS". THE STENCILING SHALL BE 8" HIGH LETTERS AND AT 10' O.C. MAX BOTH SIDES.
2. RATED WALLS AND CEILINGS ARE SHOWN BASED ON EXISTING DRAWINGS AND SOME FIELD VERIFICATION. ALL RATED WALLS SHALL BE PROTECTED DURING CONSTRUCTION. WALLS AND CEILINGS SHALL BE REPAIRED WHERE NEW PENETRATIONS OCCUR.

WALL LEGEND

- EXISTING WALL TO REMAIN
- EXISTING WALL TO BE REMOVED
- CONCRETE MASONRY
- CONCRETE MASONRY WITH BRICK VENEER
- CONCRETE MASONRY WITH 2" E.F.I.S.
- MASONRY OPENING (SEE PLAN FOR HEIGHT)
- CMU PARTITIONS (SEE PLAN FOR HEIGHT)

WALL RATING LEGEND

- 2 - HOUR FIRE
- 1 - HOUR FIRE
- 1 - HOUR FIRE/SOUND
- 1 - HOUR FIRE (HORIZONTAL RATED ASSEMBLY WITH RATED WALLS BELOW)

REFLECTED CEILING PLAN LEGEND

- 2' x 4' LAY-IN LIGHT FIXTURE
- 2' x 2' LAY-IN LIGHT FIXTURE
- 1' x 4' WRAP AROUND LIGHT FIXTURE
- CAN LIGHT
- 4' 2 LIGHT CHAIN MOUNTED STRIP LIGHT FIXTURE
- 2' x 2' HVAC DIFFUSER
- 2' x 2' HVAC RETURN AIR GRILLE
- 2' x 2' SUSPENDED LAY-IN ACOUSTICAL TILE CEILING
- GYPSUM WALLBOARD CEILING, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE WHERE 1-HOUR RATING IS SHOWN
- GYPSUM WALLBOARD CEILING, 1-HR RATED, 1 LAYER 5/8" TYPE "X" GWB EACH SIDE
- 6" WIDE LINEAR WOOD PLANKS
- METAL SOFFIT PANELS
- EXTERIOR FINISH AND INSULATION SYSTEM OVER 1/2" EXT. GRADE GWB OVER 6" STEEL STUD FRAMING AT 16" O.C. MAX
- R-13 SOUND ATTENUATION BLANKETS INSTALLED OVER ACOUSTICAL CEILING TILE - 5" WIDTH MIN.

Interior Renovations for
Thomas County Central High School
4686 Hwy 84, Thomasville, GA 31792
Thomas County School District

A6102

FACILITY NO: 736-0191

DRAWINGS ARE THE PROPERTY OF THE ARCHITECT AND SHALL NOT BE REPRODUCED OR USED WITHOUT WRITTEN PERMISSION AND CREDIT
© 2023 ALTMAN + BARRETT ARCHITECTS, P.C.

PROJECT NO: 25012

DATE: October 6, 2023

DRAWN: C. Pettieau

CHECKED: W. Altman


REVISIONS: 1.

www.altmanbarrettarchitects.com

Altman + Barrett

a r c h i t e c t s

P.O. BOX 665 - 117 WEST MAIN ST.
HAHIRA, GEORGIA 31632
PHONE # (229) 585-9018



Altman + Barrett